

FEATURES


- ◆ Gearless and batteryless revolution counter
- ◆ Energy harvesting through Wiegand pulses¹
- ◆ Integrated Hall switch for direction detection
- ◆ Evaluation of Pt1000 sensor output for high accuracy gas meter applications
- ◆ SPI interface to external nonvolatile RAM
- ◆ Independent SPI interface to microcontroller (configuration and data exchange)
- ◆ 4 low-noise Hall sensors with differential analog output
- ◆ Electrical Wiegand wire excitation for synchronization with singleturn
- ◆ Runt pulse tolerant counting algorithm
- ◆ All accessory components are off-the-shelf products

¹ Devices and processes for energy harvesting by Wiegand wire within position encoders are protected by several worldwide patents (such as EP1565755B1, US7598733, CA2506408) and require licensing by the inventors and applicants.

APPLICATIONS

- ◆ Multiturn encoders
- ◆ Absolute end-of-shaft encoders
- ◆ Absolute hollow shaft encoders
- ◆ Absolute linear encoders
- ◆ Period counters
- ◆ Gas meters
- ◆ Liquid flow meters
- ◆ Encapsulated flow meters


PACKAGES



QFN32
5 mm x 5 mm
RoHS compliant

QFN48
7 mm x 7 mm
RoHS compliant

BLOCK DIAGRAM



DESCRIPTION

iC-PMX uses a Wiegand wire to generate the electrical energy for acquiring, processing and storing the absolute position of any number of periods of the magnetic field. This energy harvesting capacity is supplemented with a singleturn sensor module for high resolutions and a special placement and electrical processing of the enclosed Hall sensors.


Additionally a temperature module is integrated to allow the precise calculation of gas volume in flow meters.

The ASIC has an operating temperature range of up to 125 °C and is suitable for measuring at high speed.

Typical applications are highly integrated energy autonomous magnetic absolute encoders and metering applications. The absolute encoders can replace established gear or battery buffered solutions.

PACKAGING INFORMATION

PIN CONFIGURATION QFN32 5 mm x 5 mm




PIN FUNCTIONS

No.	Name	Function
1	W1	Wiegand Module Pin 1
2	W2	Wiegand Module Pin 2
3	VDD	Supply Voltage for Singleturn Hall
4	VCC	Supply Voltage (5V)
5	CP	Cap CD Pin P
6	CN	Cap CD Pin N
7	GND	Ground
8	C0	Configuration
9	C1	Configuration
10	C2	Configuration
11	C3	Configuration
12	MISOR	FRAM Interface, Master Data Input
13	NCSR	FRAM Interface, Chip Select
14	NRSTR	FRAM Interface, Reset
15	SCKR	FRAM Interface, Clock
16	MOSIR	FRAM Interface, Master Data Output
17	ADJ	Feedback Voltage for VRAM
18	VRAM	Voltage for FRAM (internally provided)
19	V3	Core Voltage (internally provided)
20	PTP	Thermometer Positive Supply
21	PTS	Thermometer Sense Pin
22	PTN	Thermometer Negative Supply
23	HOP	Hall Output positive (Singleturn Hall)
24	HON	Hall Output negative (Singleturn Hall)
25	SH	Switch Hall MCU (Singleturn Hall)
26	NCS	Serial Interface MCU, Chip Select
27	SCK	Serial Interface MCU, Clock
28	MOSI	Serial Interface MCU, Slave Data Input
29	MISO	Serial Interface MCU, Slave Data Output
30	RDY	Data Ready MCU
31	VUP	Supply Voltage for MCU I/O
32	VWC	Cap CVWC

The backside pad has to be connected to GND on the PCB.

PIN CONFIGURATION QFN48 7 mm x 7 mm



PIN FUNCTIONS

No.	Name	Function
13	n/c	
14	n/c	
15	C1	Configuration
16	C2	Configuration
17	C3	Configuration
18	MISOR	FRAM Interface, Master Data Input
19	NCSR	FRAM Interface, Chip Select
20	NRSTR	FRAM Interface, Reset
21	SCKR	FRAM Interface, Clock
22	MOSIR	FRAM Interface, Master Data Output
23	n/c	
24	n/c	
25	n/c	
26	ADJ	Feedback Voltage for VRAM
27	VRAM	Voltage for FRAM (internally provided)
28	V3	Core Voltage (internally provided)
29	PTP	Thermometer Positive Supply
30	PTS	Thermometer Sense Pin
31	PTN	Thermometer Negative Supply
32	HOP	Hall Output positive (Singleturn Hall)
33	HON	Hall Output negative (Singleturn Hall)
34	VUP	Supply Voltage for μ P I/O
35	INT	Bias Current
36	n/c	
37	n/c	
38	n/c	
39	n/c	
40	SH	Switch Hall MCU (Singleturn Hall)
41	NCS	Serial Interface MCU, Chip Select
42	SCK	Serial Interface MCU, Clock
43	MOSI	Serial Interface MCU, Slave Data Input
44	MISO	Serial Interface MCU, Slave Data Output
45	RDY	Data Ready MCU
46	VUP	Supply Voltage for MCU I/O
47	n/c	
48	n/c	





PIN FUNCTIONS

No.	Name	Function
1	n/c	
2	VWC	Cap CVWC
3	W1	Wiegand Module Pin 1
4	W2	Wiegand Module Pin 2
5	VDD	Supply Voltage for Singleturn Hall
6	VCC	Supply Voltage (5V)
7	CP	Cap CD Pin P
8	CN	Cap CD Pin N
9	GND	Ground
10	C0	Configuration
11	n/c	
12	n/c	

The backside pad has to be connected to GND on the PCB.


PACKAGE DIMENSIONS QFN32 5 mm x 5 mm

RECOMMENDED PCB-FOOTPRINT



All dimensions given in mm. Size of hall sensors: $140\mu\text{m} \times 140\mu\text{m}$.
Tolerance of sensor pattern: $\pm 0.10\text{mm} / \pm 1^\circ$ (with respect to center of backside pad).
Tolerance of package center: $\pm 0.05\text{mm}$ (with respect to center of backside pad).
Tolerances of form and position according to JEDEC MO-220.

PACKAGE DIMENSIONS QFN48 7 mm x 7 mm



All dimensions given in mm. Size of hall sensors: $140\mu\text{m} \times 140\mu\text{m}$.
 Tolerance of sensor pattern: $\pm 0.10\text{mm} / \pm 1^\circ$ (with respect to center of backside pad).
 Tolerance of package center: $\pm 0.05\text{mm}$ (with respect to center of backside pad).
 Tolerances of form and position according to JEDEC MO-220.

ABSOLUTE MAXIMUM RATINGS

Beyond these values damage may occur; device operation is not guaranteed.

Item No.	Symbol	Parameter	Conditions	Min. Max.		Unit
				Min.	Max.	
G001	VCC	Voltage at VCC		-0.3	6	V
G002	VDD	Voltage at VDD		-0.3	6	V
G003	I(VCC)	Current in VCC		-10	40	mA
G004	I(VDD)	Current in VDD		-10	40	mA
G005	Vd()	ESD Susceptibility	HBM 100 pF discharged through 1.5 kΩ Wiegand sensor pins W1, W2		2 1	kV kV
G006	Tj	Operating Junction Temperature		-40	125	°C
G007	Ts	Storage Temperature Range		-40	150	°C
G008	H()	Magnetic Field Strength		-1000	1000	kA/m
G009	V()	Voltage at VWC, W1, W2, CP		-0.3	12	V
G010	V()	Voltage at CN, B0-B6, ADJ, V3, PTP, PTS, INT, HOP, HON, SH, NCS, SCK, MOSI, MISO, RDY, VUP		-0.3	6	V
G011	I()	Current in W1, W2, CP, CN		-40	+40	mA
G012	I()	Current in PTP, PTS, PTN, INT, HOP, HON, VWC, V3, VRAM, ADJ, B0-B6, VUP, NCS, SCK, MISO, MOSI, SH, RDY		-10	+10	mA

THERMAL DATA

Item No.	Symbol	Parameter	Conditions	Min. Typ. Max.			Unit
				Min.	Typ.	Max.	
T01	Rthja	Thermal Resistance Chip/Ambient	thermal pad connected to GND plane thermal pad connected to GND pin		60 100		K/W K/W

All voltages are referenced to ground unless otherwise stated.

All currents flowing into the device pins are positive; all currents flowing out of the device pins are negative.

ELECTRICAL CHARACTERISTICS

Operating Conditions: VCC = 4.5...5.5 V, VUP = 3.0...VCC, Tj = -40 °C...125 °C, INT calibrated to 100 µA, unless otherwise noted

Item No.	Symbol	Parameter	Conditions	Min.	Typ.	Max.	Unit
Total Device							
101	V(VCC)	Permissible Supply Voltage		4.5	5.0	5.5	V
102	I(VCC)	Supply Current	singleturn Hall sensors enabled, current ramp off		4	6	mA
103	I ₀ (VCC)	Standby Current I(VCC)	singleturn Hall sensors disabled, current ramp off		1	2	mA
104	V(VUP)	Permissible Supply Voltage		3.0		5.5	V
105	I(VUP)	Supply Current	SCK, MOSI, SH = 0V, NCS = V(VUP)		30	100	µA
107	Vc()hi	Clamp-Voltage hi at Inputs NCS, SCK, MOSI, SH	Vc()hi = V() - V(VUP), I() = 1 mA	0.3		1.2	V
108	Vc()hi	Clamp-Voltage hi at Input PTP, PTS, B0-B6	Vc()hi = V() - V(VRAM), I() = 1 mA	0.3		1.2	V
109	Vc()lo	Clamp-Voltage lo at all pins	I() = -4 mA	-1.2		-0.3	V
110	I(V3)	Permissible Load Current V3				-1	mA
111	I(VRAM)	Permissible Load Current VRAM				-1	mA
113		Max. Voltage on W1, W2, VWC, CP	CVWC = 6.8nF,			11	V
114	Qwc()	Charge Consumption for Wiegand Pulse Processing	C1 = 0, C0 = 0 (period counter mode)		6.5	8	nC
115	V(VRAM)	Permissible FRAM Supply Voltage	programmed by the voltage divider at pin ADJ	1.5		3.3	V
121	Ipd()	Pulldown Current at Pin W1, W2	only for PMX_7 and later; measured with V()=200mV, BIAS=0x0	2.0		7.5	µA
Active Rectifier							
201	V(VWC)	Voltage	V(W1,W2) = +- 3 V, I(VWC) = 5 mA V(W1,W2) = +- 5.5 V, I(VWC) = 5 mA	2.8 5.3			V V
202		Required Slew Rate for Activating the Active Rectifier		84			mV/µs
204		Allowed Slew Rate During Current Ramp				19	mV/µs
209		Required Delay between Alternating Wiegand Pulses		1			ms
210	I _{lk} ()	Leakage Current at Pin VWC	measured with V()=200mV, BIAS=0x0	-2		2	µA

ELECTRICAL CHARACTERISTICS

Operating Conditions: VCC = 4.5...5.5 V, VUP = 3.0...VCC, Tj = -40 °C...125 °C, INT calibrated to 100 µA, unless otherwise noted

Item No.	Symbol	Parameter	Conditions	Min.	Typ.	Max.	Unit
Current Ramp W1, W2							
301	Imax(Wx)		WI(1:0) = 00	-9.6	-8.1	-6.6	mA
			WI(1:0) = 01	-14	-12	-10	mA
			WI(1:0) = 10	-18	-15.5	-13	mA
			WI(1:0) = 11	-22	-19	-16	mA
302	sl	Slewrate of Current Ramp	WI(1:0)=00, RAMP(3:2)=00			13	µA/µs
			WI(1:0)=01, RAMP(3:2)=00			19	µA/µs
			WI(1:0)=10, RAMP(3:2)=00			24	µA/µs
			WI(1:0)=11, RAMP(3:2)=00			29	µA/µs
			WI(1:0)=00, RAMP(3:2)=01			20	µA/µs
			WI(1:0)=01, RAMP(3:2)=01			29	µA/µs
			WI(1:0)=10, RAMP(3:2)=01			37	µA/µs
			WI(1:0)=11, RAMP(3:2)=01			45	µA/µs
			WI(1:0)=00, RAMP(3:2)=10			25	µA/µs
			WI(1:0)=01, RAMP(3:2)=10			37	µA/µs
			WI(1:0)=10, RAMP(3:2)=10			48	µA/µs
			WI(1:0)=11, RAMP(3:2)=10			59	µA/µs
			WI(1:0)=00, RAMP(3:2)=11			39	µA/µs
			WI(1:0)=01, RAMP(3:2)=11			57	µA/µs
WI(1:0)=10, RAMP(3:2)=11			74	µA/µs			
WI(1:0)=11, RAMP(3:2)=11			90	µA/µs			
303	tr(), tf()	Rise and Fall Time Current Ramp	10% to 90%				
			RAMP(3:2) = 00	560	750	940	µs
			RAMP(3:2) = 01	360	480	600	µs
			RAMP(3:2) = 10	290	370	450	µs
304	t()	Duration of Current Ramp	from end of SPI current ramp command, to current ramp disconnection from W1, W2				
			RAMP(3:2) = 00	1600	2150	2700	µs
			RAMP(3:2) = 01	1100	1500	1900	µs
			RAMP(3:2) = 10	800	1100	1400	µs
		RAMP(3:2) = 11	500	750	1000	µs	
Phase Sequence Hall Switch							
(The sensor positions are specified in chapter PACKAGE DIMENSIONS)							
401	Ht(pos)	Differential Magnetic Field Strength Threshold pos	at the surface of the sensors				
			C2 = 1 (absolute field strength at sensor H4) C2 = 0 (differential field strength between H4 and H5)	2 5		20 40	kA/m kA/m
402	Ht()	Magnetic Field Strength Threshold *	at the surface of the sensors;				
			C2 = 1 (absolute field strength at sensor H4) C2 = 0 (differential field strength between H4 and H5)	-10 -10		+10 +10	kA/m kA/m
403	Ht(neg)	Differential Magnetic Field Strength Threshold neg	at the surface of the sensors				
			C2 = 1 (absolute field strength at sensor H4) C2 = 0 (differential field strength between H4 and H5)	-20 -40		-2 -5	kA/m kA/m
404	H()	Tolerated Magnetic DC Field Strength	common magnetic field strength at the surface of both sensors	-200		+200	kA/m
A/D Converter for Temperature Sensor							
501	TR	Measurement Range		-25		55	°C
503	ΔT	A/D Converter Resolution	C(PTS) < 100 pF				
			Ta = -5...30 °C Ta = -25...55 °C		0.5 1		°C °C
504	Terr	Linearity Error	calibrated, Ta = -5...30 °C		+/-1		LSB
508	I(PTP)hi	Current from Pin PTP during A/D Conversion	external resistance between PTP and PTN: 2 kΩ		0.9		mA


ELECTRICAL CHARACTERISTICS

Operating Conditions: VCC = 4.5...5.5 V, VUP = 3.0...VCC, Tj = -40 °C...125 °C, INT calibrated to 100 µA, unless otherwise noted

Item No.	Symbol	Parameter	Conditions				Unit
				Min.	Typ.	Max.	
Bias, Power On Wiegand (Self-Sustained Mode)							
601	V(V3)	Core Voltage	V(VWC) > 3.5V; I(VRAM) < 1mA V(VDD) > 4.5V; I(VRAM) < 1mA	2.7 2.7	3.3 3.3	3.6 3.6	V V
602	VWCon	Required Voltage on VWC	max. voltage, measured during the Wiegand pulse C1 = 0, CVWC = 6.8nF C1 = 0, CVWC = 8.2nF C1 = 0, CVWC = 10nF C1 = 1, CVWC = 10nF	4.4 4.2 4.1 tbd.			V V V V
603	VWCOK	Required Voltage on VWC at Start of FRAM Access	measured during Wiegand pulse, at first falling edge of NCSR	2.7		3.0	V
606	VRAMoff	Turn-off Threshold VRAM	decreasing voltage at V3			1.5	V
608	V(ADJ)	Feedback Voltage of VRAM Source	feedback loop closed, V(VRAM) stable	1.17	1.23	1.29	V
Bias, Power On (VCC powered)							
701	NPORon	Power-on-Reset Threshold VDD (digital logic)	increasing voltage at VDD	1.9		3.1	V
702	NPORoff	Power-off-Reset Threshold VDD (digital logic)	decreasing voltage at VDD	1.7		2.8	V
703	NPORHys	Hysteresis		0.15	0.3		V
705	VDDOK	Brownout Detection Threshold Voltage		3.9		4.4	V
711	I(INT)	Bias Current	I(INT) vs. VDD BIAS = 0x0 BIAS = 0xF I(INT) calibrated at T = 25 °C	100 90	77 140 100	100 110	µA µA µA
Low Noise Hall Sensors and Analog Outputs HOP, HON (The sensor positions are specified in chapter PACKAGE DIMENSIONS)							
801	V(HOP) – V(HON)	Magnetic Field Sensitivity	Gain = 0x0, H = 10kA/m, T = -40°C Gain = 0x0, H = 10kA/m, T = 27°C Gain = 0x0, H = 10kA/m, T = 125°C Gain = 0x1, H = 10kA/m, T = 27°C Gain = 0x2, H = 10kA/m, T = 27°C Gain = 0x3, H = 10kA/m, T = 27°C Gain = 0x4, H = 10kA/m, T = 27°C Gain = 0x5, H = 10kA/m, T = 27°C Gain = 0x6, H = 10kA/m, T = 27°C Gain = 0x7, H = 10kA/m, T = 27°C		54 37 22 56 81 125 187 275 387 544		mV mV mV mV mV mV mV mV mV mV
806	fg(j)ana	Cut-off Frequency	C = 25 pF to GND	900			kHz
807	SR	Slew Rate	C = 25 pF to GND, Gain = 0x7	2.5			V/µs
808	I(j)buf	Permissible Output Current		-1		1	mA
809	Vs(j)hi	Saturation Voltage hi	Vs(j) = V(VDD)-V(j), I(j) = -0.8mA			0.5	V
810	Vs(j)lo	Saturation Voltage lo	I(j) = 0.8mA			0.5	V


ELECTRICAL CHARACTERISTICS

Operating Conditions: VCC = 4.5...5.5 V, VUP = 3.0...VCC, Tj = -40°C...125°C, INT calibrated to 100 μA, unless otherwise noted

Item No.	Symbol	Parameter	Conditions	Min.	Typ.	Max.	Unit
Inputs C0, C1, C2, C3, MOSIR, MISOR							
901	Vt() _{lo}	Threshold Voltage lo		20			%VRAM
902	Vt() _{hi}	Threshold Voltage hi				80	%VRAM
Outputs MISOR, NCSR, NRSTR, SCKR, MOSIR							
A01	Vs() _{hi}	Saturation Voltage hi	Vs() = VRAM - V(); I() = -1mA			350	mV
A02	Vs() _{lo}	Saturation Voltage lo	I() = 1mA			350	mV
A03	tr()	Rise Time	V(V3) > 2.7V; C = 5 pF to GND V(V3) > 2.7V; C = 10 pF to GND			10 20	ns
A04	tf()	Fall Time	V(V3) > 2.7V; C = 5 pF to VRAM V(V3) > 2.7V; C = 10 pF to VRAM			10 20	ns
Timing Parameter SPI-FRAM							
 <p>The diagram shows the timing relationships between several signals: VRAM, NRSTR, NCSR, SCKR, MOSIR, and MISOR. Key parameters shown include tr(VRAM), tpu(NRSTR), tpu(NCSR), thi(NCSR), ts(NCSR), td(MOSIR), ts(MISOR), th(MISOR), and the data bus signals MSB and LSB.</p>							
C02	tpu(NRSTR)	NRSTR: Hold Time at Power On		1			μs
C03	tpu(NCSR)	NCSR: Hold Time after Rising Edge of NRSTR	C0 = GND C0 = VRAM	1 15			μs μs
C04	thi(NCSR)	NCSR High Time		40			ns
C05	f()	SCKR: Clock Frequency	sending opcode SPI data transmission DSPI data transmission dummy clocks (POS0-POS3 processing)			15 15 7.5 5	MHz MHz MHz MHz
C06	ts()	MISOR, NCSR: Setup Time to Rising Edge of SCKR		10			ns
C07	th(MISOR)	MISOR: Hold Time after Rising Edge of SCKR		0			ns
C08	td(MOSIR)	MOSIR: Data Valid after Falling Edge of SCKR		-20		20	ns
C09	td(VWC, NRSTR)	Delay between End of Rising Edge(VWC) and Falling Edge(NRSTR)	VCC = 0V C1 = 0, C0 = 0 (period counter mode) C1 = 0, C0 = 1 (16 bit period counter mode) C1 = 0, C0 = 1 (40 bit period counter mode) C1 = 1 (gas gauge mode)			20 50 60 60	μs μs μs μs

ELECTRICAL CHARACTERISTICS

Operating Conditions: VCC = 4.5...5.5 V, VUP = 3.0...VCC, Tj = -40 °C...125 °C, INT calibrated to 100 µA, unless otherwise noted

Item No.	Symbol	Parameter	Conditions				Unit
				Min.	Typ.	Max.	
Inputs NCS, SCK, MOSI, SH							
D01	Vt() _{lo}	Threshold Voltage lo		20			%VUP
D02	Vt() _{hi}	Threshold Voltage hi				80	%VUP
D03	Vt() _{hys}	Threshold Voltage Hysteresis		200			mV
D04	I _{pd} ()	Pull-Down Current	V() = 1.5V...VUP	4	35	70	µA
D05	I _{pu} ()	Pull-Up Current for NCS	V() = 0V...VUP-1.5V	-70	-35	-5	µA
Outputs MISO, RDY							
E01	Vs() _{hi}	Saturation Voltage hi	Vs() = VUP - V(); I() = -2.8 mA			400	mV
E02	Vs() _{lo}	Saturation Voltage lo	I() = 2.8 mA			400	mV
E03	tr()	Rise Time	C = 50 pF to GND (20% to 80% V(VUP))			30	ns
E04	tf()	Fall Time	C = 50 pF to VUP (80% to 20% V(VUP))			30	ns
E05	I _{pd} ()	Pull-Down Current MISO	MISO inactive, V() = 1.5V...VUP	4	35	70	µA
Timing Parameter SPI Slave Interface							
 <p>The diagram shows the timing relationships between NCS, SCK, MOSI, and MISO. Key parameters include: ts(NCS) (NCS setup time), th(NCS) (NCS hold time), thi(NCS) (NCS high time), ts(MOSI) (MOSI setup time), th(MOSI) (MOSI hold time), tlo(SCK) (SCK low time), thi(SCK) (SCK high time), tdi(MISO) (MISO data input delay), and the data bus (MOSI/MISO) showing MSB and LSB transitions.</p>							
F01	t _{pu} ()	Hold time at power on			10		µs
F02	f()	SCK: Clock Frequency				20	MHz
F03	ts()	MOSI, NCS: Setup Time to Rising Edge of SCK		25			ns
F04	th(MOSI)	MOSI: Hold Time after Rising Edge of SCK		3			ns
F05	td(MISO)	MISO: Data Valid after Falling Edge of SCK	C = 50 pF to GND	0		75	ns
F06	t _{lo} (SCK)	SCK Low Time		25			ns
F07	t _{hi} (SCK)	SCK High Time		25			ns
F08	th(NCS)	NCS: Hold Time after Rising Edge of SCK		25			ns
F09	t _{hi} (NCS)	NCS High Time		200			ns
F10	t _{lo} (SH)	SH Low Time		100			ns
F11	t _{hi} (SH)	SH High Time		100			ns
F12	th(SH)	SH: Hold Time after Rising Edge of NCS		100			ns
F13	th(NCS, SH)	NCS: Hold Time after Change of SH		100			ns

SELF-SUSTAINED OPERATION MODE SELECTION

iC-PMX can save the period information in a standard SPI NVRAM or in a data processing FRAM. The pins C0, C1, C2 and C3 are used to choose between the FRAM interfaces and the operating modes of iC-PMX. The pins must be tied to V_{RAM} or GND.

Pin C0	
Value	Description
0	iC-RMF / MB85RDP16LX
1	Standard SPI NVRAM

Table 4: FRAM Selection

Pin C1	
Value	Description
0	Period counter mode
1	Gas gauge mode

Table 5: Counter Operating Mode

Pin C2	
Value	Description
0	Differential magnetic field measurement (H4-H5)
1	Absolute magnetic field measurement (H4)

Table 6: Magnetic Field Measurement

Pin C3	
Value	Description
0	Single threshold (see page 9, item no. 402): distinguish negative and positive magnetic fields
1	Two thresholds (see page 9, item no. 401, 403): distinguish negative, insufficient and positive magnetic fields ^a

Table 7: Magnetic Field Evaluation

^a For iC-PMX 4: Please read the design review on page 25

SPI SLAVE INTERFACE

iC-PMX SPI Configuration Register Overview								
Addr	Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
0x00	GAIN(2:0)			DIS7	SENSOR(1:0)		PHASE(1:0)	
0x01	RAMP(7:0)							
0x02	BIAS(3:0)				0	0	WI(1:0)	
0x03	TEST1(7:0)							
0x04	TEST2(7:0)							
0x05	TEST3(7:0)							
0x06	STATUS(7:0)							
0x07	REV(7:0)							

Table 8: iC-PMX SPI Configuration Register Overview

Register Map, Overview

BIAS: bias calibration value

GAIN: gain of the singleturn Hall amplifier

DIS7: disable singleturn sensors

SENSOR: Hall sensor selection

PHASE: Hall sensor measurement phase

RAMP: current ramp command

WI: max. current selection for the current ramp

TEST1: reserved for device test

TEST2: reserved for device test

TEST3: reserved for device test

STATUS: device status

REV: device revision

General Protocol Description

SPI modes 0 and 3 are supported, i.e. data is captured on the rising edge of SCK and the idle polarity of SCK is insignificant. Data is sent bitwise with the MSB first. Each data transmission begins with the master sending an opcode. MISO is in high impedance state if NCS is high and it stays in high impedance state until a read command is received. This allows to connect MISO and MOSI to realize a 3-wire SPI interface.

The opcodes 0x20 to 0x24 are used to set configuration parameters in iC-PMX. This is done by sending the opcode followed by 8 bit configuration data as shown in Fig. 1. The 3 least significant bits of the opcode are used to select the address in the configuration memory. The parameter values are stored when the 16th rising edge of SCK is received.




Figure 1: 16-bit Set Commands

The opcodes 0x28 to 0x2f are used to read data from iC-PMX. This is done by sending the opcode and providing 8 additional clocks on SCK as shown in Fig. 1. The 3 least significant bits of the opcode are used to select the address in the configuration memory. Output pin MISO leaves its high impedance state on the first falling edge of SCK after the opcode was received.




Figure 2: 16-bit Read Commands

The opcodes 0x10 to 0x1f are single byte commands to configure the most important singleturn Hall sensor parameters (see Fig. 3).




Figure 3: Singleturn Hall Output Selection

OPCODES	
Code	Description
0x10-0x1f	SELH (Select Hall Output Signal for Differential Output HOP/HON)
0x20	Set Singleturn Configuration
0x21	Set Current Ramp Parameter
0x22	Set BIAS and WI Parameter
0x23	Set TEST1 Parameter
0x24	Set TEST2 Parameter
0x28	Read Singleturn Configuration
0x29	Read Current Ramp Status
0x2a	Read BIAS and WI Parameter
0x2b	Read TEST1 Parameter
0x2c	Read TEST2 Parameter
0x2e	Read Status
0x2f	Read Device Revision
0x30	Read POS

Table 9: OPCODE Summary

DEVICE CALIBRATION AND SYSTEM DIAGNOSIS

BIAS Parameter

The BIAS parameter in each iC-PMX device should be calibrated to ensure accurate current ramp parameters and optimal operation of the singleturn sensors. It may vary from device to device. The best fitting BIAS parameter should be stored in the MCU's nonvolatile memory for later usage.

Opcode 0x22 is used to set the BIAS parameter. Valid values are shown in Tab. 10. The current source I(INT) is driving pin INT of the QFN48 packages and can also be connected to pin HOP. The nominal value of the current source is 100 μ A. Its value is measured with a 10k Ω resistor against pin VDD.

Send opcode 0x23 with parameter 0x18 to connect I(INT) with pin HOP. Send opcode 0x23 with parameter 0x00 to quit this test mode.

The active setting of the BIAS parameter can be read with opcode 0x2a.

BIAS Correction	
Value	Description
0x0	-23%
0x1	-20%
0x2	-17%
0x3	-14%
0x4	-12%
0x5	-9%
0x6	-6%
0x7	-3%
0x8	0%
0x9	+6%
0xA	+11%
0xB	+17%
0xC	+23%
0xD	+28%
0xE	+34%
0xF	+40%

Table 10: BIAS Parameter

Device Revision

Opcode 0x2f is used to read the device revision.

Device Revisions	
Value	Description
0x08	iC-PMX 0
0x0A	iC-PMX 1
0x0D	iC-PMX 4
0x0E	iC-PMX 5
0x10	iC-PMX 7

Table 11: Device Revision

Notification of Wiegand Pulses

iC-PMX can send a notification of Wiegand pulses via the SPI slave interface. This is realized by sending a 16-bit read command which is paused after the 11th clock cycle. The required opcode is 0x2e. The default state of the pin MISO is low and it changes to high during each Wiegand pulse.




Figure 4: SPI Communication to Enable Wiegand Pulse Notification




Figure 5: Wiegand Pulse Notification Through MISO Pin

End of Current Ramp Detection

The status of the current ramp generator can be read through the SPI slave interface. This can be used to detect when the current ramp has finished. See chapter *Wiegand Module Excitation* for details.

Pin RDY: Data Ready

Pin RDY is high if V(VDD) and V(VCC) are above the brownout detection threshold voltage and the power-on startup routine has finished. This can be used to decide if the data provided by SPI command *Read POS* is valid and if the single turn sensors are ready for operation.

POSITION OF THE HALL SENSORS AND THE SENSOR SIGNAL PROCESSING




Figure 6: Position of the Hall Sensors




Figure 7: Sensor Principle

Phase Sequence Hall Switch

Hall data for the Wiegand pulse evaluation is acquired with the sensors H4 and H5 (see Fig. 6). Dimensional drawings for the two packages can be found on page 5 and 6. Those Hall sensors are evaluated when a Wiegand pulse occurs to detect the rotation direction.

The customer can not observe the magnetic field strength at sensor H4 and H5 directly, but the field strength can be derived from the magnetic field strength of the single turn hall sensors H0-H3:

$$H_4 = H_1 + \frac{H_3 - H_1 + H_2 - H_0}{28}$$

$$H_5 = H_3 - \frac{H_3 - H_1 + H_2 - H_0}{28}$$

iC-PMX can measure the differential magnetic field strength between the Hall sensors H4 and H5 or the absolute magnetic field strength at Hall sensor H4. Pin C2 is used to choose between those two options. (See page 13: Set C2=0 for differential measurement.)




Figure 8: Required Magnetic Field Strength during Wiegand Pulses for Pin C3=0 (see Elec. Char. 402)

The magnetic field strength is amplified and compared against three internal thresholds (see Elec. Char. 401, 402, 403). Pin C3 is used to select the desired magnetic polarity thresholds.[†]

The rotation direction depends on the Wiegand pulse polarity and the threshold Ht() if pin C3 is low. (See Fig. 8, the magnetic field strength during the sensor evaluation must be outside of the specified threshold limits, otherwise the signal has an arbitrary value.)

If pin C3 is high, the rotation direction depends on the thresholds Ht()pos, Ht()neg and the Wiegand pulse polarity. The threshold Ht()neg is used to determine the rotation direction while the Wiegand pulse polarity is negative (PP = 0). The threshold Ht()pos is used to determine the rotation direction while the Wiegand pulse polarity is positive (PP = 1). Fig. 9 shows the required magnetic field strength for pin C2=0 and pin C3=1.




Figure 9: Required Magnetic Field Strength during Wiegand Pulses for Pin C2=0, pin C3=1 (see Elec. Char. 401, 403)

[†] For iC-PMX 4: Please read the design review on page 25




Figure 10: Hall Amplifier Output Voltages

Singleturn Sensors

The singleturn Hall sensors (H0, H1, H2, H3) are arranged in a circle with a diameter of 3.25 mm, which is placed in the center of the package as shown on page 5 and on page 6. Fig. 6 shows the position of the Hall sensors with respect to the Pin 1 mark.

The singleturn sensors are temporarily disabled while VDD or VCC are below VDDOK (brownout protection).

If a magnetic south pole comes close to the surface of the package, the resulting magnetic field has a positive component in the +z direction (i.e. from the top of the package). This results in an increase of the voltage difference between HOP and HON during the measurement phases 0 and 2. In the measurement phases 1 and 3 it results in a decrease of the voltage difference (see Fig. 10). The common mode voltage of HOP and HON is $V(VUP)/2$.

Four measurements with constant amplifier gain should be done for each Hall sensor to remove first and second order offset errors. This results in 16 A/D values which can be reduced to two linearly independent quantities:

$$Q_0 = (H0, 0 - H0, 1) + (H0, 2 - H0, 3) - ((H2, 0 - H2, 1) + (H2, 2 - H2, 3))$$

$$Q_1 = (H3, 0 - H3, 1) + (H3, 2 - H3, 3) - ((H1, 0 - H1, 1) + (H1, 2 - H1, 3))$$

Q_0 is proportional to $\sin(\alpha)$ and Q_1 is proportional to $\cos(\alpha)$ if the magnetic field is generated by a diametrically magnetized, cylindrical permanent magnet as shown in Fig. 7.

Singleturn Hall Output Selection

The opcodes 0x10 to 0x1f can be used to choose the singleturn Hall sensor voltage which can be measured between the pins HOP and HON.

These commands are executed when the rising edge of NCS is received. This is visualized in Fig. 3 by the

signal change on HOP/HON. The value of OP1 and OP0 selects the measurement phase, the value of OP3 and OP2 selects the Hall sensor (see Tab. 12).

OPCODE 0x10...0x1f	
OP3...OP2	Select Hall sensor (0...3)
OP1...OP0	Select measurement phase (0...3)

Table 12: Fast Hall Sensor Selection

Combined Singleturn Gain and Output S selection

Opcodex 0x20 must be used if the Hall amplifier should be disabled or its gain has to be changed. Table 13 shows the coding of the singleturn parameters within the data byte. The gain is changed straightaway with the 16th rising edge of SCK, the output selection is changed when the rising edge of NCS is received.

Singleturn Parameters	
DB7...DB5	GAIN(2:0); gain of the singleturn Hall amplifier (0...7)
DB4	DIS7; disable singleturn sensors, default value: 0
DB3...DB2	SENSOR(1:0); select Hall sensor (0...3)
DB1...DB0	PHASE(1:0); select measurement phase (0...3)

Table 13: Singleturn Parameters

Switching the Singleturn Output Selection with Pin SH

Pin SH can be used to change the singleturn output selection if pin NCS is high.

An internal state machine switches to the next output selection whenever the voltage on pin SH changes. The sequence of output selections is fixed and documented in Fig. 10. The minimum delay between switching commands is 100 ns, as documented in the *Electrical Characteristics*, section *Timing Parameter SPI Slave Interface*. The active output selection can be read with opcode 0x28, and it is possible to set an arbitrary start value with the SPI commands.

WIEGAND MODULE EXCITATION

A Wiegand wire is a ferromagnetic material with hysteresis, so its behavior during the current ramp is slightly different depending on the previously applied magnetic field. The slew rate of the current ramp accentuates this nonlinearity. Figure 11 shows such a nonlinearity excited by a high current slew rate.




Figure 11: Nonlinearity of V(WVC) during a Current Ramp

However, since the current ramp parameters are usually calculated based on the resistance of the Wiegand module, some margin should be provided to compensate for the nonlinearity.

Current Ramp Parameters

Opcode 0x21 is used to start a Wiegand wire excitation. Valid parameters are described in Tab. 14 and Tab. 15. This function is used to determine if the Wiegand wire is precharged. A current ramp is applied to the coil around the Wiegand wire. This generates an additional magnetic field, which can trigger a Wiegand pulse if the Wiegand wire is precharged. The current direction determines the polarity of the additional magnetic field (see Fig. 12).

The duration of the current ramp and the maximum current must be selected suitable for the chosen Wiegand module. The voltage slew rate during the current ramp is determined by the above parameters and the Wiegand module's electrical properties. Its worst case value should be below the allowed slew rate during current ramps (see page 8, item no. 204).




Figure 12: Current Ramp Direction

WI(1:0)	
Bit	Description
1...0	Select max. current (see page 9, item no. 301), default value: 0

Table 14: Current Ramp Parameters 1/2

RAMP(7:0)	
Bit	Description
7..4	0x7: Start current ramp, default mode 0xF: Start current ramp with disabled Hall sensor evaluation, value of MP is defined by bit 1
3...2	Select duration of current ramp (0...3) (see page 9, item 304)
1	Value of MP if bit 7 = 1
0	0: Set current direction to test for a negative Wiegand pulse (PP = low) 1: Set current direction to test for a positive Wiegand pulse (PP = high)

Table 15: Current Ramp Parameters 2/2

Note: During the execution of the current ramp, Wiegand pulses of same polarity as the ramp are detected by iC-PMX. The current ramp must not be executed when a pulse with the opposite polarity may occur, which is dependent on the system design and application, i.e. its magnetic fields, programming, speed and acceleration.

Recommended Values for the Capacitors CB and CD

The capacitor CB between Pin VDD and Pin GND should be large enough to ensure that the voltage drop during the current ramp is less than 1V. That's an important concern during a power loss event. The brownout protection is used to continue the current ramp and the capacitor CB is calculated for the worst case: Power loss at the start of the current ramp. The voltage drop can be calculated based on the Elec. Char. item no. 103, item no. 301 and item no. 304.

Calculation of CB for a Wiegand module which needs RAMP(3:2)="10" and WI(1:0)="01":

$$\min(CB) = 1400 \mu s * (0.5 * 14 mA + 2 mA) = 11.2 \mu F$$

The capacitor CD between Pin CP and Pin CN should also be larger than min(CB).

End of Current Ramp Detection

Opcode 0x29 can be used to read the status of the current ramp generator. The result is equal to the values in Tab. 15 if the current ramp is active. The bits 4 to 6 of the status are set to zero when the current ramp has finished.

FRAM ACCESS

Read POS

iC-PMX reads the position data from the FRAM whenever the power supply voltage VCC is applied, and the data is updated after each Wiegand pulse (if VCC is still available). Opcode 0x30 is used to access iC-PMX's copy of the position data. The data is provided bitwise, starting with address 0x0.

FRAM Access

iC-PMX has a feedthrough mode to allow direct access to the FRAM. iC-PMX gives exclusive access to the FRAM once the feedthrough mode is activated, but the FRAM access is delayed if iC-PMX itself is using the FRAM. Pin RDY is pulled low as soon as the feedthrough mode can be used.

In feedthrough mode the data at NCS, SCK and MOSI is used to drive NCSR, SCKR and MOSIR, the data at MISOR is sampled with an internal clock and those values are used to drive MISO. The data is not interpreted in iC-PMX.

iC-PMX reads the position data from the FRAM when the feedthrough mode is deactivated. The feedthrough mode should only be used at standstill to avoid interferences with the Wiegand pulse processing.

The feedthrough mode is activated if TEST2 is programmed with 0x80 and pin SH is high. Pin SH must be set to low to disable the feedthrough mode.

Calculation of the CRC-Values

The FRAM data in gas gauge mode and in period counter mode with standard FRAM is secured with a CRC:

- Start value 0x1
- CRCpolynom (CRC-4): $x^4 + x + 1$
- The CRC value is saved inverted if a former CRC error is detected

Code Example to Enable the Feedthrough Mode

```
uint32_t pmxEnableFeedthrough(void)
{
    if (INPUT_VALUE(PMX_RDY_PIN)==0) { // if pin RDY = low
        pmxStatus->PMX_NOT_READY = 1;
        return 1;
    }
    OUTPUT_CLEAR(PMX_SH_PIN); // set pin SH low
    OUTPUT_CLEAR(PMX_NCS_PIN); // set pin NCS low
    pmxSpiSend(0x24); // send opcode 0x24
    pmxSpiSend(0x80); // send TEST2=0x80
    OUTPUT_SET(PMX_NCS_PIN); // set pin NCS high
    OUTPUT_SET(PMX_SH_PIN); // set pin SH high
    pmxWait4Rdy(0,100); // wait until pin RDY = 0
                        // (but not longer than 100 us)
    if (INPUT_VALUE(PMX_RDY_PIN)==1) { // if pin RDY = high
        // (this should never happen)
        pmxStatus->FRAM_ACCESS_DENIED = 1;
        return 1;
    }
    usleep(1); // wait for tpu(NCSR) (el. char. C03)
    // The pin MISO of the FRAM is sampled with an internal
    // clock of at least 7.5 MHz. The frequency of the
    // following SPI communications is reduced to 3 MHz to
    // take the resulting added latency into account.
    pmxSpiFrg(3); // set SPI frequency to 3 MHz
    return 0;
}
```

Code Example to Disable the Feedthrough Mode

```
uint32_t pmxDisableFeedthrough(void)
{
    OUTPUT_CLEAR(PMX_SH_PIN); // set pin SH low
    pmxWait4Rdy(1,100); // wait until pin RDY = 1
                        // (but not longer than 100 us)
    // set SPI frequency to its default value (e.g. 6 MHz):
    pmxSpiFrg(6);
    OUTPUT_CLEAR(PMX_NCS_PIN); // set pin NCS low
    pmxSpiSend(0x24); // send opcode 0x24
    pmxSpiSend(0x00); // send TEST2=0x00
    OUTPUT_SET(PMX_NCS_PIN); // set pin NCS high
    return 0;
}
```

Code Example of the CRC Calculation Routine

```
// Data is an array of the input data
// Example:
// Data[0] = Bit 0 of Addr 0x0,
// Data[7] = Bit 7 of Addr 0x0,
// DATA[8] = Bit 0 of ADR(0x01), ...
int iCRCPoly = 0x13;
int i = 0;
unsigned char ucCRC=1; // start value !!!

for (i=0; i<=uclMAX; i++) {
    if ((ucCRC >> 3) != Data(i))
        ucCRC = ((ucCRC << 1) ^ iCRCPoly) & 0x0f;
    else
        ucCRC = (ucCRC << 1) & 0x0f;
}
// Result:
// CRC[3] = ucCRC & 0x01;
// CRC[2] = (ucCRC >> 1) & 0x01;
// CRC[1] = (ucCRC >> 2) & 0x01;
// CRC[0] = (ucCRC >> 3) & 0x01;
```

Position Data in Period Counter Mode with a Data Processing FRAM

The revolution counter data in iC-RMF / MB85RDP16LX is optimized against imprint effects of FRAM. iC-PMX reads the data of the FRAM with the RDTS command to get a decoded data set. Tab. 16 shows the available data as it is available through the Read POS command.

Position Data in Period Counter Mode with iC-RMF / MB85RDP16LX								
Addr	Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
0x00	POS(5:0)						LDIR	LPP
0x01	POS(13:6)							
0x02	POS(21:14)							
0x03	POS(29:22)							
0x04	POS(37:30)							
0x05	EFLAG(1:0)	INVALID	POS(42:38)					
0x06	—							
⋮								
0x0E								
0x0F	—				C3	C2	C1	C0

Table 16: Position Data in Period Counter Mode with iC-RMF / MB85RDP16LX (pin C0 = 0, pin C1 = 0)

Register Map, Overview

POS: revolution counter value
 LDIR: direction of last POS change (0 = incrementing, 1 = decrementing)
 LPP: polarity of last Wiegand pulse (1 = positive, 0 = negative)
 EFLAG(1:0): error information (0 = no error, 1 = Overflow, 2 = uncorrectable ECC error, 3 = incomplete write access)

INVALID: error information (0=data is valid, 1=position data changed during read access, please discard the data and read it again)
 C3, C2, C1, C0: Value of the pins C3-C0, sampled during the last wiegand pulse processing

Position Data in Period Counter Mode with a Standard FRAM

The revolution counter register maps for use with a standard FRAM are optimized against imprint effects of FRAM. This is realized by balancing the 0/1 duty cycle of the POS bits: The POS value is inverted if LPP is high, the POS bit length is coded in bit 1 and bit 0 of address 0x0.

16 Bit Revolution Counter Register Map								
Addr	Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
0x00	POS(3:0)				LPP	LMP	0	0
0x01	POS(11:4)							
0x02	CRC(3:0)				POS(15:12)			
0x03	—							
⋮								
0x0E								
0x0F	—			INVALID	C3	C2	C1	C0

Table 17: 16 Bit Revolution Counter Register Map

24 Bit Revolution Counter Register Map								
Addr	Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
0x00	POS(3:0)				LPP	LMP	0	1
0x01	POS(11:4)							
0x02	POS(19:12)							
0x03	CRC(3:0)				POS(23:20)			
0x04	—							
⋮								
0x0E								
0x0F	—			INVALID	C3	C2	C1	C0

Table 18: 24 Bit Revolution Counter Register Map

32 Bit Revolution Counter Register Map								
Addr	Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
0x00	POS(3:0)				LPP	LMP	1	0
0x01	POS(11:4)							
0x02	POS(19:12)							
0x03	POS(27:20)							
0x04	CRC(3:0)				POS(31:28)			
0x05	—							
⋮								
0x0E								
0x0F	—			INVALID	C3	C2	C1	C0

Table 19: 32 Bit Revolution Counter Register Map

40 Bit Revolution Counter Register Map								
Addr	Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
0x00	POS(3:0)				LPP	LMP	1	1
0x01	POS(11:4)							
0x02	POS(19:12)							
0x03	POS(27:20)							
0x04	POS(35:28)							
0x05	CRC(3:0)				POS(39:36)			
0x06	—							
⋮								
0x0E								
0x0F	—			INVALID	C3	C2	C1	C0

Table 20: 40 Bit Revolution Counter Register Map

Register Map, Overview

POS:	revolution counter (value is inverted if LPP=1)	CRC:	CRC for byte 0x0, bit 0 up to the most significant bit of POS
LMP:	polarity of the last magnet polarity (1=positive, 0 = negative)	INVALID:	error information (0=data is valid, 1=position data changed during read access, please discard the data and read it again)
LPP:	polarity of last Wiegand pulse (1=positive, 0 = negative)	C3, C2, C1, C0:	Value of the pins C3-C0, sampled during the last wiegand pulse processing

Data in Gas Gauge Mode

The gas gauge mode uses two counters. The amount of gas flowing forward is summed in VOLFW and the amount of gas flowing backward is summed in VOLBW.

Position Data in Gas Gauge Mode								
Addr	Bit 7	Bit 6	Bit 5	Bit 4	Bit 3	Bit 2	Bit 1	Bit 0
0x00	VOLFW(7:0)							
0x01	VOLFW(15:8)							
0x02	VOLFW(23:16)							
0x03	VOLFW(31:24)							
0x04	VOLFW(39:32)							
0x05	CRC1(3:0)			VOLFW(43:40)				
0x06	IOFF(7:0)							
0x07	CRC2(3:0)			LPP	LMP	—	—	
0x08	VOLBW(7:0)							
0x09	VOLBW(15:8)							
0x0A	VOLBW(23:16)							
0x0B	VOLBW(31:24)							
0x0C	CRC3(3:0)			VOLBW(35:32)				
REFERENCE VALUES FOR GAS METER								
0x0D	IPSCM(7:0)							
0x0E	IPSCM(15:8)							
0x0F	—		INVALID	C3	C2	C1	C0	

Table 21: Position Data in Gas Gauge Mode (pin C1=1)

Register Map, Overview

LMP:	polarity of the last magnet polarity (1=positive, 0 = negative)	CRC1:	CRC for address 0x0 to 0x5
LPP:	polarity of last Wiegand pulse (1=positive, 0 = negative)	CRC2:	CRC for address 0x6 to 0x7
VOLFW:	gas volume in forward direction	CRC3:	CRC for address 0x8 to 0xC
VOLBW:	gas volume in backward direction	INVALID:	error information (0=data is valid, 1=position data changed during read access, please discard the data and read it again)
IOFF:	offset correction for increment value in gas meter mode (typ. value 0)	C3, C2, C1, C0:	Value of the pins C3-C0, sampled during the last wiegand pulse processing
IPSCM:	conversion factor into Standard Cubic Meter		

DESIGN REVIEW: Notes on Chip Functions

iC-PMX 4		
No.	Function, Parameter/Code	Description and Application Hints
1	Pin C3	Pin C3 must tied to GND
2	Elec. Char. 402	Different limits for the magnetic field strength threshold with pin C2=0, pin C3=0: limits are -20 kA/m . . . +20 kA/m
3	Mode TEST2 (FRAM Feedthrough Mode)	During feedthrough mode the readout of pin MISO might be disturbed by internal crosstalk and should be secured by repetition.

Table 22: Notes on chip functions regarding chip release iC-PMX 4.

iC-PMX 5		
No.	Function, Parameter/Code	Description and Application Hints
1	Mode TEST2 (FRAM Feedthrough Mode)	During feedthrough mode the readout of pin MISO might be disturbed by internal crosstalk and should be secured by repetition.

Table 23: Notes on chip functions regarding chip release iC-PMX 5.

iC-PMX 7		
No.	Function, Parameter/Code	Description and Application Hints
		None at time of release.

Table 24: Notes on chip functions regarding chip release iC-PMX 7.

REVISION HISTORY

Rel.	Rel. Date [†]	Chapter	Modification	Page
A1	2014-12-05	ABSOLUTE MAXIMUM RATINGS	G005	7
		ELECTRICAL CHARACTERISTICS	114, 204, 301, 303, 304, 601, 603, 608	8-11
		DEVICE CALIBRATION AND SYSTEM DIAGNOSIS	Added information that the BIAS calibration is needed to ensure accurate current ramp parameters	14
		POSITION OF THE HALL SENSORS AND THE SENSOR SIGNAL PROCESSING	Corrected the formula for Q_1 .	16
		WIEGAND MODULE EXCITATION	Corrected page references in Tab. 14 and Tab. 15	17
		WIEGAND MODULE EXCITATION	Modified calculation example for min(CB)	17
		FRAM ACCESS	Added information that pin RDY is pulled low during feedthrough mode	18
		FRAM ACCESS	Improved programming sequence for feedthrough mode	18
		FRAM ACCESS	Added information about INVALID and C3-C0 in the Read POS data sets	19-22
		FRAM ACCESS	Added information for period counter mode with standard FRAM and for gas gauge mode	18-22

Rel.	Rel. Date [‡]	Chapter	Modification	Page
A2	2017-03-17	ELECTRICAL CHARACTERISTICS	402	8
		ELECTRICAL CHARACTERISTICS	Removed 401, 403, C10	
		SELF-SUSTAINED OPERATION MODE SELECTION	Table 7: Pin C3 must be 0	12
		SPI SLAVE INTERFACE	Table 9: Minor changes	13
		DEVICE CALIBRATION AND SYSTEM DIAGNOSIS	Added device revision of iC-PMX 5	14
		POSITION OF THE HALL SENSORS AND THE SENSOR SIGNAL PROCESSING	Extended the description for the 'Phase sequence Hall switch'	15
		WIEGAND MODULE EXCITATION	Added information on nonlinearities of a Wiegand wire, added Figure 'Current Ramp Direction'	17

Rel.	Rel. Date [‡]	Chapter	Modification	Page
A3	2017-05-02	ELECTRICAL CHARACTERISTICS	302, 401-403	9
		SELF-SUSTAINED OPERATION MODE SELECTION	Table 7: allowed C3=1	13
		POSITION OF THE HALL SENSORS AND THE SENSOR SIGNAL PROCESSING	Extended the description for the 'Phase sequence Hall switch'	17
		DESIGN REVIEW: Notes on Chip Functions	Chapter added	25

Rel.	Rel. Date [‡]	Chapter	Modification	Page
A4	2018-06-07	PACKAGES	PIN CONFIGURATION QFN48 7 mm x 7 mm, pin 1-10: corrected misalignment of column 'Function'	4
		ELECTRICAL CHARACTERISTICS	602	10
		DEVICE CALIBRATION AND SYSTEM DIAGNOSIS	Added device revision	16
		FRAM ACCESS	Extended information about INVALID in the Read POS data sets	21, 23 24

Rel.	Rel. Date [‡]	Chapter	Modification	Page
A5	2019-07-17	PACKAGES	Added RoHS compliant statement	1
		ELECTRICAL CHARACTERISTICS	Corrected parameter name of F06 and F07	12
		DEVICE CALIBRATION AND SYSTEM DIAGNOSIS	Added device revision of iC-PMX 7	16
		POSITION OF THE HALL SENSORS AND THE SENSOR SIGNAL PROCESSING	Added notebox on Wiegand pulses during current ramp	19
		FRAM ACCESS	Added C code examples to enable and disable the feedthrough mode	20
		DESIGN REVIEW: Notes on Chip Functions	Updated design review for iC-PMX 4, iC-PMX 5 and iC-PMX 7	25

[‡] Release Date format: YYYY-MM-DD

iC-Haus expressly reserves the right to change its products and/or specifications. A Datasheet Update Notification (DUN) gives details as to any amendments and additions made to the relevant current specifications on our internet website www.ichaus.com/DUN and is automatically generated and shall be sent to registered users by email.

Copying – even as an excerpt – is only permitted with iC-Haus' approval in writing and precise reference to source.

The data specified is intended solely for the purpose of product description and shall represent the usual quality of the product. In case the specifications contain obvious mistakes e.g. in writing or calculation, iC-Haus reserves the right to correct the specification and no liability arises insofar that the specification was from a third party view obviously not reliable. There shall be no claims based on defects as to quality in cases of insignificant deviations from the specifications or in case of only minor impairment of usability.

No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information/specification or the products to which information refers and no guarantee with respect to compliance to the intended use is given. In particular, this also applies to the stated possible applications or areas of applications of the product.

iC-Haus products are not designed for and must not be used in connection with any applications where the failure of such products would reasonably be expected to result in significant personal injury or death (*Safety-Critical Applications*) without iC-Haus' specific written consent. Safety-Critical Applications include, without limitation, life support devices and systems. iC-Haus products are not designed nor intended for use in military or aerospace applications or environments or in automotive applications unless specifically designated for such use by iC-Haus.

iC-Haus conveys no patent, copyright, mask work right or other trade mark right to this product. iC-Haus assumes no liability for any patent and/or other trade mark rights of a third party resulting from processing or handling of the product and/or any other use of the product.

Software and its documentation is provided by iC-Haus GmbH or contributors "AS IS" and is subject to the ZVEI General Conditions for the Supply of Products and Services with iC-Haus amendments and the ZVEI Software clause with iC-Haus amendments (www.ichaus.com/EULA).

ORDERING INFORMATION

Type	Package	Order Designation
iC-PMX	QFN32 5 mm x 5 mm	iC-PMX QFN32-5x5
iC-PMX	QFN48 7 mm x 7 mm	iC-PMX QFN48-7x7

Please send your purchase orders to our order handling team:

Fax: +49 (0) 61 35 - 92 92 - 692

E-Mail: dispo@ichaus.com

For technical support, information about prices and terms of delivery please contact:

iC-Haus GmbH
Am Kuemmerling 18
D-55294 Bodenheim
GERMANY

Tel.: +49 (0) 61 35 - 92 92 - 0
Fax: +49 (0) 61 35 - 92 92 - 192
Web: <http://www.ichaus.com>
E-Mail: sales@ichaus.com

Appointed local distributors: http://www.ichaus.com/sales_partners