

PR01L_220-256, iC-PR256

iC-PR Encoder Scale and Code Description




Rev A1, Page 1/2

ORDERING INFORMATION


Type	Order Designation	Description/Options
Encoder Scale	PR01L#_220-256 (#: Material)	Code Scale, period 256um, 9-bit-PRC or Index mark

PHYSICAL DIMENSIONS: Code Lineal



Item	Parameter	[mm]
H1	Width	220.0
H2	Height	5.00
H3	Thickness	0.18.
H5	XY-Coord. of Paddle Center	(0.00;0.00)
H6	Y-Coord. Middle of AB Track	0.575
H9	Text S1	PR01L
H10	Text S2	220-256

TRACK LAYOUT: Code Lineal



Item	Parameter	[um]
H11	AB-Track Width	128.0
H12	AB-Track Height	525.0
H13	PRC / Index-Track Width	128.0
H14	PRC / Index-Track Height	525.0.0
H15	Y-Coord. AB-Track (Lineal)	575.0
H16	Y-Coord. Index-Track (Lineal)	25.0


PR01L_220-256, iC-PR256

iC-PR Encoder Scale and Code Description



Rev A1, Page 2/2

LAYOUT: System



Item	Parameter	[mm]
G0	Name and Design Release oQFN24 4x4	iC-PR256L
G1	Width	4.0
G2	Height	4.0
G3	Window Width	1.78
G4	Window Height	1.78
G5	XY-Coord. of Paddle Center	(0.00;0.00)
G6	Paddle Center vs. LED Center	0.965
G7	Paddle Center vs. Index Center	0.915
Y1	Y-Coord. AB-Track (Lineal)	0.575
Y2	Y-Coord. Index-Track (Chip)	-0.915
Y3	Y-Coord. Outer Edge Lineal	t.b.d.
Y4	Y-Coord. Inner Edge Lineal	t.b.d.

iC-Haus expressly reserves the right to change its products and/or specifications. An info letter gives details as to any amendments and additions made to the relevant current specifications on our internet website www.ichaus.com/infoletter; this letter is generated automatically and shall be sent to registered users by email.

Copying – even as an excerpt – is only permitted with iC-Haus' approval in writing and precise reference to source.

iC-Haus does not warrant the accuracy, completeness or timeliness of the specification and does not assume liability for any errors or omissions in these materials.

The data specified is intended solely for the purpose of product description. No representations or warranties, either express or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information/specification or the products to which information refers and no guarantee with respect to compliance to the intended use is given. In particular, this also applies to the stated possible applications or areas of applications of the product.

iC-Haus products are not designed for and must not be used in connection with any applications where the failure of such products would reasonably be expected to result in significant personal injury or death ("Safety-Critical Applications") without iC-Haus' specific written consent. Safety-Critical Applications include, without limitation, life support devices and systems. iC-Haus products are not designed nor intended for use in military or aerospace applications or environments or in automotive applications unless specifically designated for such use by iC-Haus.

iC-Haus conveys no patent, copyright, mask work right or other trade mark right to this product. iC-Haus assumes no liability for any patent and/or other trade mark rights of a third party resulting from processing or handling of the product and/or any other use of the product.